

Network Video Recorder VSN7104-P4



Key Features

- Support Ultra 265/H.265/H.264 video formats
- 4-channel input
- Third-party IP cameras supported with ONVIF conformance: Profile S, Profile G, Profile T
- Support 1-ch HDMI, 1-ch VGA, HDMI at up to 4K(3840x2160) resolution
- HDMI and VGA simultaneous output
- Up to 4K resolution recording
- 1 SATA HDD up to 10 TB
- Support cloud upgrade




Specifications


I I	-ch, RCA
I I	
wo-way Audio Input 1-	-ch, RCA
letwork	
ncoming Bandwidth 80	OMbps
Outgoing Bandwidth 64	4Mbps
emote Users 12	28
rotocols P2	2P, UPnP, NTP, DHCP, PPPoE
Video/Audio Output	
IDMI/VGA Output	HDMI: 3840x2160/30Hz, 1920x1080p/60Hz, 1920x1080p/50Hz, 1600x1200/60Hz, 1280x1024/60Hz, 280x720/60Hz, 1024x768/60Hz
	/GA: 1920x1080p/60Hz, 1920x1080p/50Hz, 1600x1200/60Hz, 1280x1024/60Hz, 1280x720/60Hz, 024x768/60Hz
ecording Resolution 4	K/5MP/4MP/3MP/1080p/960p/720p/D1/2CIF/CIF
udio Output 1-	-ch, RCA
ynchronous Playback 4-	-ch
orridor Mode Screen 3/	/4
ecoding	
ecoding format U	Jltra 265/H.265/H.264
iveview/Playback 4	K/5MP/4MP/3MP/1080p/960p/720p/D1/2CIF/CIF
apability 1	x 4K@30, 1 x 5MP@30, 2 x 4MP@30, 2 x 3MP@30, 4 x 1080P@30
lard Disk	
ATA 1	SATA interface
apacity up	p to 10TB for each disk
mart	
	ace detection, Intrusion detection, Cross line detection, Audio detection, Defocus detection, Scene change letection, Auto tracking, Object Left Behind, Object Removed
'CA Search Fa	ace search, Behavior search
tatistical Analysis Pe	People counting
xternal Interface	
letwork Interface 1	RJ45 10M/100M self-adaptive Ethernet Interface
ISB Interface Re	lear panel: 1 x USB2.0, 1 x USB3.0
оЕ	
nterface 4	independent 100 Mbps PoE network interfaces
lax Power	Лах 30W for single port Лах 54W in total (13.5W for each)
upported Standard IE	EEE 802.3at, IEEE 802.3af
General	
ower Supply 48	8V DC; Power Consumption: ≤9 W (without HDD)
Vorking Environment -1	10°C ~ + 55°C (+14°F ~ +131°F), Humidity ≤ 90% RH (non-condensing)
oimensions (W×D×H) 26	60mm × 240mm × 47mm (10.2"×9.4"×1.9 ")
Veight (without HDD) 1k	kg (2.20 lb)



Dimensions



Rear Panel



© 2020 LT Security, Inc. All Rights Reserved. White papers, data sheets, quick start guides, and/or user manuals are for reference only and may or may not be entirely up to date or accurate based upon the version or models. Product names mentioned herein may be the unregistered and/or registered trademarks of their respective owners