380TVL Bullet Camera with Fixed Lens



1/4" Sony Color CCD • 3.6mm Fixed Lens • Day & Night • Sun-Visor • Weather-Resistant

Overview

The BU TP 1004DN bullet camera will astound you with its color clarity and miniature size. The new age 1/4" interline CCD produces 380 TV Lines of resoluting in color mode or 420 TV Lines of resolution during the night, by having a low 0.01 Lux rating. It provides wonderful picture and it is small enough to be used

virtually anywhere. The BU TP 1004DN bullet camera would be great for CCTV video systems. The included mini mounting bracket makes setup fast and easy.

FEATURES

- 1/4" Sony color CCD sensor
- Day & Night: sensitivity increasing during night time
- 380 (H) TV Line (Color) / 420 (H) TV Line (B/W)
- 0.8 Lux (Color) / 0.01 Lux (B&W)
- 12 Volts DC power source, 110mA power consumption
- 3.6mm fixed lens installed
- Sun-Visor, Weatherproof
- Mount bracket included

SPECIFICATIONS

Image Sensor	1/4" Super HAD Color CCD
Effective Pixels	NTSC: 510(H) × 492(V) PAL: 500(H) × 582(V)
Scanning System	525 Lines, 60 Field/Sec (NTSC) 625 Lines, 50 Field/Sec (PAL)
Horizontal Resolution	380(H) TV Line (Color) / 420(H) TV Line (B/W)
Minimum Illumination	0.8 Lux (Color) / 0.01 Lux (B&W)
Shutter Speed	1/60 ~ 1/100,000 Sec (NTSC) 1//50 ~ 1/100,000 Sec (PAL)
S/N Ratio	More than 48dB
Gamma Characteristic	0.45
Lens	3.6mm fixed board lens
Video Output	1.0Vp~p, 75Ω
Power	12V DC / ±10% / 120mA
Operational Temperature	−10°C ~ 50°C (14°F ~ 122°F) RH 95% Max
Storage Temperature	−20°C ~ 60°C (14°F ~ 122°F) RH 95% Max
Dimensions	1.0"(D) × 3.0"(L)mm

Weight	Approx 90g
White Balance	Auto tracking white balance
Housing	Aluminum